



INSTITUTE OF INDIGENOUS MEDICINE, UNIVERSITY OF COLOMBO
DEGREE OF BACHELOR OF UNANI MEDICINE AND SURGERY

LEVEL V – FIRST SEMESTER EXAMINATION – APRIL – JULY 2019

AMRAZ E NISWAN VA QABALAT 5102

EXAMINATIONS
Institute of Indigenous Medicine
26 JUL 2019
Date: 22.07.2019
University of Colombo

Time : 9.45 am – 12.15 pm

Index No

[Empty box for Index No]

Answer all questions.

Part I - Structured Questions

1.1 Give 5 asbab for Qai ul mufrit in hamal

.....
.....
.....
.....
.....

(1.5 marks)

1.2 List 5 tafreeqi tashkhees for Qai ul mufrit

- I. GIT -
- II. GU -
- III. CNS -
- IV. Hamal -
- V. Others -

(2.5 marks)

1.3 What is the best dawa used in unani medice in the management of Qai ul Mufrit

.....

(0.5 marks)

1.4 If the Qai ul mufrit is not managed properly give the Anjam.

In Mother i.....

ii.....

In Baby iii.....

(1.5 marks)

1.5 Give the mamoolat e matab for following

i. Tahabbuj in hamal

.....
.....
.....
.....

(2 marks)

ii. Qai ul- Hamal

.....
.....
.....
.....

(2 marks)

2.1 Answer the following questions

i. What is ovulation?

.....
.....
.....
.....
.....

(01 mark)

ii. What is fertilization?

.....
.....
.....
.....

(01 mark)

iii. What is implantation?

.....
.....
.....

(01 mark)

iv. What is decidua?

.....
.....
.....

(01 mark)

v. Write three placental functions

.....
.....
.....

(01 mark)

2.2 28 year old primi with 24 weeks of gestation suffering from continuous nausea and vomiting since her conception.

i. Give your probable *tashkhees*

.....

(01 mark)

ii. Write 3 causes for this above condition

.....
.....
.....

(1.5 marks)

iii. What are the preventive measures you will advice this mother?

.....
.....
.....
.....
.....

(1.5 marks)

iv. Write five simple *ilaj* for the above condition

.....
.....
.....
.....
.....

(01 mark)

Part II – Essay Questions

1. Discuss the antenatal care given now in Sri Lanka and discuss how you can improve it further in future?s (20 Marks)

2. Write short notes in fallowing (20 Marks)

- a. Abruption of the placenta
- b. cord prolapse
- c. uterine inversion
- d. Heamorrhagic shock

3. A twenty years old primi , presented to antenatal clinic at 26 weeks of gestation with her OGTT reports. The report showed, FBS-101 mg/dl, 1st hour value-170mg/dl and 2nd hour value-160mg/dl. What is the diagnosis and how will you manage this mother until delivery? (20 Marks)
